

iQ500, Built-in oven, 60 x 60 cm,
Stainless steel
HB237ABR0Z



1 x enamel baking tray, 1 x combination grid, 1 x universal pan

HZ327000 Baking stone, HZ32WA00 Wireless food thermometer, HZ530000 2 multipurpose pans, slim size, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ538000 varioClip rail, HZ617000 Pizza pan, enamelled, HZ629070 Air Fry & Grill tray, HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZ633001 Lid for professional pan, enamelled, HZ633070 Professional pan with grid, enamelled, HZ634000 Baking and roasting grid (standard), HZ636000 Glass pan, HZ638000 Full ext rails, level independent, HZ664000 Baking and roasting grid (steam), HZ66X650 Cover Strip, HZ915003 Glass roasting dish, 5,4 L

Shorten your cooking time thanks to fast preheat.

- ✓ fast preheat: reach the required baking temperature sooner.
- ✓ Cut down on oven cleaning – ecoClean.
- ✓ cookControl10: automatic programs ensure best results.
- ✓ 3D hotAir Plus – Even heat distribution on up to three levels for excellent results.
- ✓ For fast cleaning dirt is softened beforehand by vaporizing soapy water. It can then be removed more easily – humidClean.

Gross weight: 36.3 kg
Built-in / Free-standing: Built-in
Integrated Cleaning system: activeKlean setting, Hydrolytic
Required niche size for installation (HxWxD): ..585-595 x 560-568 x 550 mm
Dimensions: 595x594x548 mm
Dimensions of the packed product (HxWxD): ... 675 x 660 x 690 mm
Control Panel Material:Glass
Door Material:Glass
Net weight: 34.2 kg
Usable volume of cavity: 71 l
Heating Types: Full width grill, Hotair gentle, Hot Air, Conventional heat, Pizza setting, Bottom heat, Hot air grilling
Length electrical supply cord: 120.0 cm
Interior Lights - cavity 1:1
Pull-out system: Accessory
Included accessories: 1 x enamel baking tray, 1 x combination grid, 1 x universal pan
Broil Element Wattages cavity 1:2700 W
Convection Element Wattages cavity 1: 1600 W
Energy efficiency rating: A
Energy consumption per cycle conventional (2010/30/EC):0.97 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC): 0.81 kWh/cycle
Energy efficiency index (2010/30/EC): 95.3 %
Connection Rating: 2990 W
Fuse protection:13 A
Voltage:220-240 V
Frequency: 60; 50 Hz
Plug type:India plug (16 Ampere)
Energy input: Electric
Required cutout/niche size for installation (in): x
Dimensions of the packed product: 26.57 x 25.98 x 27.16
Net weight: 75.000 lbs
Gross weight: 80.000 lbs



iQ500, Built-in oven, 60 x 60 cm, Stainless steel HB237ABR0Z

Heating Modes

- Oven with 7 heating methods: Hot air, Conventional heat, hot air grilling, Full width grill, pizza setting, bottom heat, Hotair gentle

Design

- LED display control (red)
- Bar handle
- Cavity inner surface: enamel anthracite
- Rapid heating-up: manual



Comfort

- Cavity volume: 71 l
- Maximum window temperature 40 °C
- Temperature range 50 °C - 275 °C
- Triple glazed door with heat reflective glass
- ecohyse features: back panel
- childproof lock
- 10 automatic programmes
- Integral cooling fan
- Electronic functions: Heating-up control, automatic start, Automatic programmes


Technical Information

- Appliance dimension (hxwxh): 595 mm x 594 mm x 548 mm
- Required niche size for installation (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Total connected load electric: 2.99 KW
- Plug type: India plug (16 Ampere)
- Length of mains cable: 120 cm

**iQ500, Built-in oven, 60 x 60 cm,
Stainless steel
HB237ABR0Z**




Measurements in mm



A: 19.5 mm

B: Space for appliance connection 320 x 115 mm

Installation with a hob.



measurements in mm