

iQ700, Built-in oven with steam function, 60 x 60 cm, Black HS958GDD1



- ✓ cookControl Pro – Excellent results, whatever the recipe or circumstances.
- ✓ Oven Assistant with Voice Control – Intuitively set the right programme.
- ✓ Far less oven cleaning – ecoClean Plus.
- ✓ humidClean Plus - For fast cleaning dirt is softened beforehand by vaporizing soapy water. It can then be removed more easily.
- ✓ Tap water connection – Steam cooking without refilling water tank.

Gross weight: 98.000 lbs
Built-in / Free-standing: Built-in
Door opening: Drop down
Required niche size for installation (HxWxD): ..585-595 x 560-568 x 550 mm
Dimensions: 595x594x548 mm
Dimensions of the packed product (HxWxD):670x660x690 mm
Control Panel Material:Glass
Door Material:Glass
Net weight: 41.6 kg
Length electrical supply cord: 120 cm
Heating Types:Defrost, Regeneration, Sous-vide, 4D hot air, Air fry, Dehydrate, Full width grill, Hotair gentle, Intensive heat, Half width grill, Conventional heat, Conventional heat gentle, Pizza setting, low temperature cooking, Deep-frozen food special, Bottom heat, Hot air grilling, pre-heating, warming
Time-setting Options:Start and Stop
Fuse protection:16 A
Voltage:220-240 V
Frequency:50; 60 Hz
Plug type: Gardy plug w/ earthing
Energy input: Electric
Fuse protection:16 A
Voltage:220-240 V
Frequency:50; 60 Hz
Plug type: Gardy plug w/ earthing
Dimensions of the packed product: 26.37 x 25.98 x 27.16
Net weight: 92.000 lbs
Included accessories: 1 x enamel baking tray, 1 x grid, 1 x steam container, 1 x universal pan, punched, size XL, 1 x sponge, 1 x steam container, punched, size M, 1 x steam container, unpunched, size M, 1 x air fry & grill tray

- 1 x enamel baking tray
- 1 x grid
- 1 x universal pan
- size XL
- 1 x sponge
- punched
- 1 x steam container
- unpunched
- size M
- 1 x air fry & grill tray

HZ664000	Baking and roasting grid (steam)
HZ915003	Glass roasting dish, 5,4 L
HZ532010	Universal pan, non-stick ceramic coated
HZ629070	Air Fry & Grill tray
HZ631070	Baking tray, enamelled



iQ700, Built-in oven with steam function, 60 x 60 cm, Black HS958GDD1

Heating Functions

- Temperature range 30 °C - 250 °C
- Cavity volume: 71 l

Hook-in racks / rails

Design

- Black Steel Design
- Cavity inner surface: enamel anthracite

Colour display: Full Color

- side: coating of ceiling, back panel, side liners
- hydrolyse program, activeKlean setting

Comfort

- LED display control (red)
- electronic clock with LED display
- Oven door with Drop down door, soft closing, soft opening
- Rapid heating-up
- coolStart
- Rapid heating-up: automatic
- Location of the steam generator is outside of the cavity
- Integral cooling fan
- HomeConnect ready on WLAN

Accessories

- 1 x sponge, 1 x universal pan, 1 x air fry & grill tray, 1 x enamel baking tray, 1 x steam container, punched, size M, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size M, 1 x grid

Connecting cable: 120 cm

- Child lock
- Automatic safety switch off
- residual heat indicator
- Start-/Stop button
- door contact switch

Technical Information



- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode: 0.87 kWh
- Energy consumption per cycle in fan-forced convection mode: 0.69 kWh
- Number of cavities: 1
- Heat source: electrical
- Cavity volume: 71 l
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode: 0.87 kWh

- Energy consumption per cycle in fan-forced convection mode: 0.69 kWh
- Number of cavities: 1
- Heat source: electrical
- Cavity volume: 71 l


Dimensions:

- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Required niche size for installation (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing


iQ700, Built-in oven with steam
function, 60 x 60 cm, Black
HS958GDD1



Installing two appliances on top of each other
Air exchange



A: Air inlet $\geq 200 \text{ cm}^2$



measurements in mm

Measurements in mm
Worktop thickness when installing underneath a hob
(incl. substructure, if required)

Hob type	raised	flush
Induction hob	≥ 37	≥ 38
Full surface induction hob	≥ 47	≥ 48
Gas hob	≥ 30	≥ 38
Electric hob	≥ 27	≥ 30