

iQ700, island cooker hood, 90 cm,
Stainless steel
LF91BUV50I



LZ00XXP00	Long Life odor filter (replacement)
LZ12285	Chimney extension 1100 mm
LZ12385	Chimney extension 1600 mm
LZ12510	Extension for mounting kit 500 mm
LZ22CBI14	Clean Air Standard recirculation kit
LZ22CXC56	Clean Air Plus recirc. kit external
LZ31XXB16	Clean Air Plus odor filter (replacement)
LZ32CBB14	Clean Air Standard odor filter (repl.)

The island hood convinces with a very high extraction rate in a distinguished design that perfectly matches your kitchen.

- ✓ iQdrive motor - The quiet, high-performance motor ensures efficient removal of odours and steam.
- ✓ voiceControl : Control hood functions using your voice.
- ✓ Home Connect – The app that makes your hood work smarter.
- ✓ LED light: Optimal visibility and atmosphere when cooking.
- ✓ The power level and the LED light can be selected directly – touchControl

Color chimney:	Stainless steel
Typology:	Island/Ceiling
Length electrical supply cord:	130 cm
Height of the chimney:	698-878/698-998 mm
Height of product, without chimney:	46 mm
Net weight:	29.8 kg
Type of control:	Electronic
Number of speed settings:	3-stage + 2 intensive
Maximum output air extraction:	598 m³/h
Boost position output recirculating:	561 m³/h
Maximum output recirculating air:	462 m³/h
Boost position air extraction:	981 m³/h
Number of lights:	4
Noise level:	62 dB(A) re 1 pW
Diameter of air outlet:	120 / 150 mm
Grease filter material:	Washable stainless steel
Odour filter:	No
Air circulation:	Convertible
Type of lamps used:	LED
Grease filter type:	Multilayer cassette
Clean filter reminders:	Yes
Connection Rating:	266 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Plug type:	India plug (6 Ampere)
Type:	Island
Material body:	Stainless steel
Plug type:	India plug (6 Ampere)
Dimensions of the product, with chimney (if exists) (in):	x x
Dimensions of the packed product:	33.07 x 24.01 x 40.94
Net weight:	66.000 lbs
Gross weight:	89.000 lbs
Motor location:	Integrated motor in hood chimney
No-return airflow flap:	No
Length electrical supply cord:	130 cm
Dimensions of the product, with chimney (if exists) (in):	744-1044x898x600 mm
Dimensions of the packed product (HxWxD):	840x610x1040 mm
Net weight:	29.8 kg
Gross weight:	40.3 kg



iQ700, island cooker hood, 90 cm, Stainless steel LF91BUV50I

Design

- Island chimney hood
- 90 cm wide
- Appliance colour: stainless steel
- Electronic control via Touch control with 7-segment display

Performance

- 3 speeds plus 2 intensive
- Extraction rate according to EN 61591 ø 15 cm:
- max. Normal use 598m³/h
- Intensive 981 m³/h
- Noise level according to EN 60704-3 und EN 60704-2-13 exhaust air:
- Max. normal use: 62 dB(A) re 1 pW (50dB(A) re 20 µPa sound pressure)
- Intensive: 73 dB(A) re 1 pW (61 dB(A) re 20 µPa sound pressure)
- Extraction rate in recirculation mode:
- Max. normal use: 471m³/h
- Intensive: 595 m³/h
- Noise levels in recirculation mode:
- Max. normal use: 72 dB(A) re 1 pW (60dB(A) re 20 µPa sound pressure)
- Intensive: 77 dB(A) re 1 pW (64 dB(A) re 20 µPa sound pressure)

Comfort

- Cooktop-based hood control-based hood control
- (with matching cooktop)
- Automatic revert setting, 6 minutes
- Automatic 10 minutes after running
- Boost function
- easy to clean innerframe
- Air quality sensor
- Light dimmer function
- Softlight with dimmer function
- Efficient BLDC-technology
- Saturation display filter: grease- and charcoal filter
- Steel filter cover, dishwasher safe

Technical Information

- Suitable for ducted and re-circulating operation only
- Recirculation kit or clean air kit
- Dimensions exhaust air (HxWxD): 744-924 x 898 x 600 mm
- Dimensions recirculating (HxWxD): 744-1044 x 898 x 600 mm
- Dimensions recirculating with CleanAir module (HxWxD): 812-1044 x 898 x 600 mm
- Power rating: 266 W
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- India plug type

Home Connect (only in countries where Home Connect service is available)

- Remote Monitoring and Control for connected home appliances and

operation via smartphone or tablet (only in countries where Home Connect service is available)

- The Home Connect functionality can be extended by integrating numerous applications from external cooperation partners (partnerships)
- Voice Control enabled via popular voice assistants (only in countries where this service is available)

iQ700, island cooker hood, 90 cm, Stainless steel LF91BUV50I

