

iQ300, telescopic cooker hood, 60 cm, Silver metallic
LI64MA531I



LZ11ITB14	Clean Air Standard odor filter (repl.)
LZ11ITI14	Clean Air Standard recirculation kit

The telescopic cooker hood: practically disappears into your upper cabinet, giving you a sleek kitchen front.

- ✓ iQdrive motor - The quiet, high-performance motor ensures efficient removal of odours and steam.
- ✓ LED light: Optimal visibility and atmosphere when cooking.
- ✓ Pleasantly quiet - motor.
- ✓ Intensive setting with automatic after revert setting
- ✓ Pleasantly quiet motor: Quiet motor for relaxed kitchen conversations

Typology:Pull-out
Length electrical supply cord: 175 cm
Required niche size for installation (HxWxD): 162mm x 526.0mm x 290mm mm
Net weight: 8.2 kg
Type of control: Electronic
Number of speed settings:3-stages + intensive setting
Maximum output air extraction: 268 m³/h
Boost position output recirculating:353 m³/h
Maximum output recirculating air: 263 m³/h
Boost position air extraction:400 m³/h
Number of lights:2
Noise level: 62 dB(A) re 1pW
Diameter of air outlet: 120 / 150 mm
Grease filter material: Washable aluminium
Odour filter: No
Air circulation: Convertible
Type of lamps used: LED
Total power of the lamps: 4 W
Grease filter type: Multilayer cassette
Clean filter reminders: No
Connection Rating: 74 W
Fuse protection:16 A
Voltage:220-240 V
Frequency:50; 60 Hz
Plug type: India plug (16 Ampere)
Type: Built-in into the cabinet
Material body: zinc plated
Plug type: India plug (16 Ampere)
Dimensions of the product, with chimney (if exists) (in): x x
Dimensions of the packed product: 12.20 x 25.19 x 14.17
Net weight: 18.000 lbs
Gross weight: 21.000 lbs
Motor location: Integrated motor in hood body
No-return airflow flap: Yes
Length electrical supply cord: 175 cm
Dimensions of the product, with chimney (if exists): . 203x598x290 mm
Dimensions of the packed product (HxWxD):310x640x360 mm
Net weight: 8.2 kg
Gross weight: 9.8 kg



iQ300, telescopic cooker hood, 60 cm, Silver metallic LI64MA531I

Variant

- LI64MA531I silver metallic lacquer
- For installation into a 60cm wide cupboard

Design

- silver metallic lacquer Standard
- Push button with LED
- Steel filter cover, dishwasher safe

Technical information

- 3 x power levels plus intensive setting
- Maximum extraction power 280 m³/h (freeblowing)
- 2 x LM3-01_LED_1,5W
- Suitable for ducted and re-circulating operation only
- Recirculating kit

Comfort

- Noise min./max. Normal Level: 49/62 dB
- Light Intensity: 294 lux
- Colour Temperature: 3500 K

Dimensions:

- 60 cm silver metallic lacquer Standard hood
- Dimensions exhaust air (HxWxD): 203-203 x 598 x 290 mm
- Dimensions recirculating (HxWxD): 203-203 x 598 x 290 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)

iQ300, telescopic cooker hood, 60
cm, Silver metallic
LI64MA531I



