

iQ700, Domino Gas hob, 30 cm,
Ceramic, Black
ER3A6AD70I



Gas cooktop with stepFlame Technology for precise flame control in nine steps.

Product name/family:Vario/Domino gas hob w control
Built-in / Free-standing: Built-in
Energy input: Gas
Total number of positions that can be used at the same time: 1
Required niche size for installation (HxWxD): 45 x 270 x 490-500 mm
Width of the appliance: 302 mm
Dimensions: 59x302x520 45x302x520 mm
Dimensions of the packed product (HxWxD): 165x385x585 mm
Net weight: 8.2 kg
Gross weight: 9.1 kg
Residual heat indicator: Separate
Location of control panel: Front
Basic surface material: Ceramic
Color of surface: Black, Alu, brushed
Color of frame: Black
Length electrical supply cord: 100 cm
Connection Rating: 2 W
Gas connection rating: 6000 W
Fuse protection: 3 A
Voltage: 220-240 V
Frequency: 50; 60 Hz
Included accessories: 1 x wok attachment ring



1 x wok attachment ring

HZ298105 Simmer plate
HZ394301 Connecting strip

iQ700, Domino Gas hob, 30 cm, Ceramic, Black ER3A6AD70I

Cooking Zone

- 1 gas burner
- Centre work burner maximum power: 6000 W (depending on gas type)

Design

- black Ceramic glass base
- Sword control knobs
- Can be combined with Domino ceramic hobs
- Cast iron pan support dishwasher proof

Features:


- stepFlame Technology
- 7-segment display
- Residual heat indicator
- Preset for liquid gas, (28 - 30/37 mbar)
- Flame failure safety device

Dimensions:

- Dimensions of the product (HxWxD mm) : 45 x 302 x 520
- Required niche size for installation (HxWxD mm) : 45 x 270 x 490 - 502
- Gas connection rating: 6000 W
- Length electrical supply cord: 100 cm


**iQ700, Domino Gas hob, 30 cm,
Ceramic, Black
ER3A6AD70I**

Measurements in mm




If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.)

Measurements in mm




When installing two Domino units right next to a hob, two assembly kits (HZ394301) are required

measurements in mm




When installing a Domino unit right next to a hob, an assembly kit (HZ394301) is required.

Measurements in mm



If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.)

Measurements in mm
Assembly kit (HZ394301) for Domino




B: Dependent on the cut-out depth

measurements in mm
Domino combination options with corresponding
appliance and cut-out dimensions

Width category:	30	40	60	70	80	90
Appliance width:	302	392	602	710	812	912
	A	B	C	D	L	X
2x30	302	302	-	-	604	572
1x30, 1x40	302	392	-	-	694	662
1x30, 1x60	302	602	-	-	904	872
1x30, 1x70*	302	710	-	-	1012	980
1x30, 1x80	302	812	-	-	1114	1082
1x30, 1x90	302	912	-	-	1214	1182
2x40	392	392	-	-	784	752
1x40, 1x60	392	602	-	-	994	962
1x40, 1x70*	392	710	-	-	1102	1070
1x40, 1x80	392	812	-	-	1204	1172
1x40, 1x90	392	912	-	-	1304	1272
3x30	302	302	302	-	906	874
2x30, 1x40	302	302	392	-	996	964
2x30, 1x60	302	302	602	-	1206	1174
2x30, 1x70*	302	302	710	-	1314	1282
2x30, 1x80	302	302	812	-	1416	1384
2x30, 1x90	302	302	912	-	1516	1484
1x30, 2x40	302	392	392	-	1086	1054
1x30, 1x40, 1x60	302	392	602	-	1296	1264
1x30, 1x40, 1x70*	302	392	710	-	1404	1372
1x30, 1x40, 1x80	302	392	812	-	1506	1474
1x30, 1x40, 1x90	302	392	912	-	1606	1574
3x40	392	392	392	-	1176	1144
2x40, 1x60	392	392	602	-	1386	1354
4x30	302	302	302	302	1208	1176
3x30, 1x40	302	302	302	392	1298	1266
2x30, 2x40	302	302	392	392	1388	1356
1x30, 3x40	302	392	392	392	1478	1446
1x30, 1x75	302	750	-	-	1052	1016
1x40, 1x75	392	750	-	-	1142	1106
2x30, 1x75	302	302	750	-	1354	1318
1x30, 1x40, 1x75	302	392	750	-	1444	1408


* Not possible with 70 cm induction hob

Measurements in mm
Picture for the table Domino combination possibilities with corresponding devices and
cutout dimensions



If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.)

Cutout dimension (X) depending on the combination (see combination table)



- * Minimum distance from the hob cut-out to the wall
- ** Position of gas connection in the cut-out
- *** With fitted oven underneath, possibly more; see space requirements for the oven

measurements in mm