

iQ300, Gas hob, 90 cm, Tempered glass, Black
ER9MD331NX



The tempered-glass gas hob: offers you a sophisticated design that is easy to clean.

Product name/family:gas hob
Built-in / Free-standing: Built-in
Energy input: Gas
Total number of positions that can be used at the same time: 3
Type of control setting devices:sword knobs
Required niche size for installation (HxWxD):80 x 880-880 x 455-455 mm
Width of the appliance:920 mm
Dimensions: 80x920x510 mm
Dimensions of the packed product (HxWxD):239x990x571 mm
Net weight: 18.4 kg
Gross weight: 22.0 kg
Residual heat indicator:without
Location of control panel: Front
Basic surface material:Tempered glass
Color of surface:Black, Black
Color of frame:Black, Black
Length electrical supply cord: 120 cm
Knob Material: Plastic
Sealed Burners: No
Power of 2nd heating element (kW): 4900.0 W
Gas connection rating: 11800 W
Fuse protection:10 A
Voltage:220-240 V
Frequency:50-60 Hz
Energy input: Gas
Gas type preset: Liquidgas G30,31 28-30/37 mbar
Certified gas types:Nat gas H/E/(L) 20 (25) mbar
Appliance Dimensions (h x w x d) (in): x x 480
Dimensions of the packed product: 9.40 x 22.48 x 38.97
Net weight: 41.000 lbs
Gross weight: 49.000 lbs
Total number of positions that can be used at the same time: 3
Length electrical supply cord: 120 cm
Required niche size for installation (HxWxD):80 x 880-880 x 455-455 mm
Dimensions: 80x920x510 mm
Dimensions of the packed product (HxWxD):239x990x571 mm
Net weight: 18.4 kg
Gross weight: 22.0 kg



iQ300, Gas hob, 90 cm, Tempered glass, Black ER9MD331NX

Cooking Zone

- 3 burner gas hob
- Left burner maximum power up to 4900 W (depending on gas type)
- Rear centre burner maximum power up to 2000 W (depending on gas type)
- Right burner maximum power up to 4900 W (depending on gas type)

Design

- Black glass
- Sword control knobs


Key Functions

- Brass burner
- Preset nozzle: Preset for liquid gas, (28 - 30/37 mbar)
- Knob ignition
- Flame failure safety device

Technical Information

- Dimensions of the product (HxWxD mm) : 80 x 920 x 510
- Required niche size for installation (HxWxD mm) : 80 x 880-880 x 455-455
- Total connected load gas: 11.8 KW
- Power cord length 120 cm

**iQ300, Gas hob, 90 cm, Tempered
glass, Black
ER9MD331NX**



A: Min. distance from the hob cut-out to the wall

B: Position of gas connection in the cut-out

A space of min. 100 mm in height should be kept available below the hob